

## Badevandsanalyser 2018

Godt badevand

Må forekomme enkelte gange  
i løbet af sæsonen

Tegn på forurening

	2014 - 2017	2018			
	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
<b>Havet</b>					
<b>Agger Tange, høfde 71-72</b>	Udmærket	24-maj	<15	<15	14,0
		06-jun	<15	<15	16,0
		25-jun	<15	<15	14,0
		13-jul	<15	<15	13,0
		24-jul	<15	<15	18,0
		03-aug	<15	<15	22,0
		21-aug	<15	<15	17,0
<b>Agger By, høfde 90</b>	Udmærket	23-maj	<15	<15	11,0
		01-jun	<15	<15	16,5
		10-jun	<15	<15	18,0
		19-jun	<15	<15	14,0
		26-jun	<15	<15	13,0
		05-jul	<15	<15	15,0
		13-jul	<15	<15	14,0
		23-jul	<15	<15	19,0
		01-aug	<15	<15	20,0
		10-aug	15	<15	
		17-aug	30	15	18,0
<b>Klitmøller</b>	Udmærket	23-maj	30	30	13,0
		01-jun	<15	<15	17,0
		10-jun	<15	15	19,0
		19-jun	61	45	15,0
		26-jun	<15	<15	14,0
		05-jul	<15	<15	15,0
		14-jul	15	15	14,0
		23-jul	<15	<15	19,0
		01-aug	<15	<15	20,0
		10-aug	45	15	
		17-aug	77	<15	17,5

	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
<b>Lild Strand</b>	Udmærket	24-maj	<15	<15	14,0
		06-jun	<15	<15	18,0
		25-jun	<15	<15	16,0
		13-jul	<15	<15	18,0
		24-jul	<15	<15	19,0
		03-aug	<15	<15	20,0
		21-aug	46	<15	17,0
<b>Lyngby</b>	Udmærket	24-maj	<15	<15	11,5
		06-jun	<15	<15	16,0
		25-jun	<15	<15	14,0
		13-jul	<15	<15	12,0
		24-jul	15	<15	18,0
		03-aug	<15	<15	21,0
		21-aug	<15	<15	16,0
<b>Nr. Vorupør - strand</b>	Udmærket	23-maj	<15	<15	12,5
		01-jun	<15	<15	17,0
		10-jun	<15	<15	19,0
		19-jun	<15	15	14,0
		26-jun	<15	<15	13,5
		05-jul	<15	<15	15,0
		14-jul	<15	<15	13,5
		23-jul	<15	<15	18,5
		01-aug	<15	<15	20,0
		10-aug	77	46	
		17-aug	15	<15	17,0
<b>Nr. Vorupør - havbadet</b>	Udmærket	23-maj	<15	<15	14,0
		01-jun	<15	<15	17,0
		10-jun	<15	<15	20,0
		19-jun	94	<15	15,0
		26-jun	<15	<15	14,5
		05-jul	15	<15	15,0
		14-jul	<15	<15	14,0
		23-jul	<15	<15	19,0
		01-aug	<15	<15	20,0
		10-aug	61	94	18,0
		17-aug	61	<15	16,5
<b>Stenbjerg</b>	Udmærket	23-maj	<15	<15	13,0
		01-jun	<15	<15	17,0
		10-jun	<15	<15	18,0
		19-jun	<15	15	14,0
		26-jun	<15	<15	13,0
		05-jul	<15	<15	15,0
		14-jul	<15	<15	14,0

	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
		23-jul	<15	<15	18,5
		01-aug	<15	<15	20,0
		10-aug	690	390	
		13-aug	15	<15	17,0
		17-aug	46	15	17,0
		20-aug	<15	<15	18,0
<b>Vigsø</b>	Udmærket	25-maj	<15	<15	16,0
		03-jun	15	<15	20,0
		12-jun	15	<15	17,0
		21-jun	15	<15	14,0
		30-jun	<15	<15	20,0
		09-jul	15	<15	16,5
		18-jul	<15	<15	18,0
		27-jul	15	<15	20,0
		05-aug	290	15	19,0
		14-aug	<15	<15	17,5
		21-aug	46	15	17,5
<b>Limfjorden</b>					
<b>Amtoft</b>	Udmærket	24-maj	<15	<15	17,5
		06-jun	<15	<15	19,5
		15-jun	15	<15	16,0
		25-jun	<15	<15	17,5
		04-jul	<15	<15	20,0
		13-jul	<15	<15	18,0
		24-jul	30	<15	20,0
		03-aug	30	<15	21,0
		13-aug	77	15	16,0
		21-aug	<15	<15	16,0
<b>Doverodde</b>	Udmærket	24-maj	<15	<15	19,0
		07-jun	<15	<15	22,0
		20-jun	<15	<15	16,0
		27-jun	<15	<15	17,0
		10-jul	210	<15	18,0
		01-aug	<15	<15	23,0
		15-aug	<15	<15	17,0
<b>Helligsø Drag</b>	Udmærket	24-maj	<15	<15	17,0
		06-jun	<15	<15	18,0
		15-jun	15	<15	14,0
		25-jun	15	15	14,0
		04-jul	15	15	18,0
		13-jul	<15	<15	18,0
		24-jul	<15	<15	20,0

	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
		03-aug	<15	<15	22,0
		13-aug	<15	<15	17,0
		21-aug	15	<15	16,0
<b>Hotel Limfjorden</b>	Udmærket	24-maj	<15	<15	16,0
		06-jun	<15	<15	19,0
		15-jun	<15	<15	18,0
		25-jun	<15	<15	17,0
		04-jul	<15	<15	18,0
		13-jul	<15	<15	18,0
		24-jul	77	30	19,5
		03-aug	15	<15	21,0
		13-aug	30	130	18,0
		21-aug	46	30	18,0
<b>Kærgård</b>	Udmærket	24-maj	<15	<15	12,0
		06-jun	<15	<15	18,0
		15-jun	93	30	14,0
		25-jun	<15	<15	14,0
		04-jul	30	15	18,0
		13-jul	<15	<15	16,0
		24-jul	45	15	20,0
		03-aug	<15	15	22,0
		13-aug	<15	<15	16,0
		21-aug	46	<15	15,0
<b>Kåglanding</b>	Udmærket	24-maj	<15	<15	18,0
		06-jun	<15	<15	19,0
		15-jun	15	<15	16,0
		25-jun	<15	<15	18,5
		04-jul	46	15	19,0
		13-jul	15	15	20,0
		24-jul	30	<15	20,0
		03-aug	<15	<15	22,0
		13-aug	<15	<15	14,5
		21-aug	<15	<15	16,0
<b>Sennels</b>	Udmærket	24-maj	<15	<15	17,0
		06-jun	<15	<15	20,0
		15-jun	<15	<15	17,0
		25-jun	<15	<15	17,0
		04-jul	30	<15	18,0
		13-jul	<15	<15	19,0
		24-jul	<15	<15	20,0
		03-aug	<15	<15	21,0
		13-aug	<15	<15	15,0
		21-aug	<15	<15	17,0

	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
<b>Skyum Østerstrand</b>	Udmærket	24-maj	<15	<15	16,5
		06-jun	<15	<15	19,0
		15-jun	30	<15	16,0
		25-jun	<15	<15	16,5
		04-jul	46	15	17,5
		13-jul	<15	<15	18,0
		24-jul	670	270	20,0
		27-jul	<15	<15	21,0
		03-aug	30	<15	20,0
		03-aug	15	<15	20,0
		13-aug	15	<15	15,5
		21-aug	15	<15	17,0
<b>Søndergård Strand, Øsløs</b>	Udmærket	25-maj	<15	15	21,0
		03-jun	15	<15	21,0
		12-jun	<15	<15	19,5
		21-jun	<15	<15	15,0
		30-jun	<15	15	20,0
		09-jul	<15	<15	19,0
		18-jul	<15	<15	21,0
		27-jul	<15	<15	22,0
		05-aug	<15	<15	20,5
		14-aug	<15	<15	17,0
		21-aug	<15	<15	17,0
<b>Thisted Camping</b>	Udmærket	24-maj	<15	<15	16,5
		06-jun	<15	<15	19,0
		15-jun	46	<15	17,0
		25-jun	<15	<15	17,0
		04-jul	46	15	18,0
		13-jul	15	<15	18,0
		24-jul	15	<15	19,5
		03-aug	61	<15	21,0
		13-aug	<15	<15	17,0
		21-aug	15	15	17,0
<b>Thisted Søbad</b>	Udmærket	25-maj	<15	<15	19,5
		03-jun	<15	<15	19,0
		12-jun	<15	<15	19,0
		21-jun	<15	<15	16,0
		30-jun	<15	<15	20,0
		09-jul	<15	<15	18,0
		18-jul	<15	<15	21,0
		27-jul	<15	<15	22,0
		05-aug	<15	<15	20,0
		14-aug	<15	15	18,0
		21-aug	30	<15	17,5

	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
<b>Vilsund, vest</b>	Udmærket	25-maj	<15	<15	19,5
		03-jun	<15	<15	21,0
		12-jun	<15	<15	19,5
		21-jun	<15	<15	17,0
		30-jun	<15	<15	20,0
		09-jul	<15	<15	18,0
		18-jul	30	<15	20,5
		27-jul	30	<15	22,5
		05-aug	460	200	21,0
		14-aug	<15	<15	18,5
		21-aug	<15	<15	17,5
<b>Visby</b>	God	24-maj	<15	<15	16,0
		06-jun	<15	<15	17,0
		15-jun	460	61	16,0
		25-jun	15	15	16,0
		04-jul	290	210	18,0
		07-jul	<15	<15	16,0
		13-jul	15	<15	17,0
		14-jul	94	<15	17,0
		24-jul	180	330	19,0
		03-aug	<15	<15	21,0
		13-aug	46	30	15,0
		21-aug	<15	15	17,0
<b>Søer</b>					
<b>Førby Sø</b>	Udmærket	24-maj	<15	<15	21,0
		06-jun	<15	<15	20,0
		16-jun	77	<15	15,0
		25-jun	<15	<15	16,0
		04-jul	30	<15	19,0
		13-jul	93	30	18,0
		24-jul	30	<15	21,0
		03-aug	45	<15	24,0
		13-aug	160	160	15,0
		21-aug	15	15	17,0
<b>Nors Sø, ved Vilsbøl</b>	Udmærket	24-maj	<15	<15	20,0
		06-jun	<15	<15	19,0
		15-jun	<15	<15	17,0
		25-jun	<15	<15	16,0
		04-jul	15	<15	19,0
		13-jul	<15	<15	19,0
		24-jul	<15	<15	21,0
		03-aug	<15	<15	24,0

	Badevandskvalitet EU-statistik	Dato	E. coli	Enterokokker	Temperatur
		13-aug	30	<15	15,0
		21-aug	61	<15	18,0
<b>Vandet Sø, ved Årbjerg</b>	Udmærket	24-maj	<15	<15	18,5
		06-jun	<15	<15	20,0
		15-jun	<15	<15	15,0
		25-jun	<15	<15	15,0
		04-jul	<15	<15	19,0
		13-jul	<15	<15	17,0
		24-jul	<15	<15	21,0
		03-aug	420	510	23,0
		13-aug	<15	270	18,0
		21-aug	<15	<15	17,0
<b>Vandet Sø - østende</b>	Tilfredsstillende	24-maj	<15	<15	17,5
		01-jun	30	<15	20,0
		06-jun	15	<15	19,0
		15-jun	30	<15	15,0
		19-jun	30	<15	16,0
		26-jun	<15	<15	19,0
		04-jul	15	<15	19,0
		13-jul	350	77	18,0
		24-jul	11000	810	21,0
		27-jul	160	93	20,0
		01-aug	210	77	21,0
		03-aug	440	94	24,0
		03-aug	510	160	24,0
		10-aug	8300	4500	18,0
		13-aug	3100	2100	15,0
		13-aug	6600	2300	15,0
		16-aug	19000	5000	18,0
		17-aug	9800	3600	17,5
		20-aug	5000	1700	16,0
		21-aug	1800	390	17,0
		23-aug	4800	4200	18,0
		10-sep	1900	1000	19,0